

An Adventure in Data Modeling

The Entity-Attribute-Value Data Model

PGConf NYC

April 4, 2014

Mark Wong
mark.wong@myemma.com
Emma Email Marketing

@emmaemailtech



emma

Who is Emma?



At Emma, we're out to create a world-class brand that's known and loved by marketers, designers and business owners everywhere.

And we're well on our way, supporting the email marketing efforts of roughly 40,000 businesses, nonprofits and agencies doing all sorts of interesting things in all sorts of interesting places, assuming Belgium makes your list of interesting places, and why wouldn't it?

<http://myemma.com>



Stylish Email Marketing

Tell a story about some of our Postgres performance experiences with the evolution of the data model around our member information, where we stumbled along the way, and how we carried on.



Why am I here?

Member information is an account's email list and any additional attributes that the customer desires such as:

- first name
- last name
- favorite database



What is member information?

- Horizontally partitioned data by account using table inheritance
- 14 child tables created per account
- Exporting member information was fast and easy because all member information were contained in a single table, no complaints here



Once upon a time...

- If my members were the PostgreSQL Core Team:

email	first_name	last_name	favorite_dbms
josh at agliodbs.com	Josh	Berkus	PostgreSQL
peter_e at gmx.net	Peter	Eisentraut	PostgreSQL
magnus at hagander.net	Magnus	Hagander	PostgreSQL
tgl at sss.pgh.pa.us	Tom	Lane	PostgreSQL
bruce at momjian.us	Bruce	Momjian	PostgreSQL
dpage at pgadmin.org	Dave	Page	PostgreSQL



Example of member information

- Over 40,000 accounts in the system
 - Hard to mine data
 - Well over one million objects in the system (tables, indexes, sequences, etc.)
 - Hard to administer database system
- Induced **ALTER TABLE** statements whenever an attribute is added



What was wrong?

- How many marketing campaigns were sent yesterday?
- Getting counts from the parent tables would need 40,000 locks, one per child table
- More complex queries would start adding tables to join



Example of simple data mining exercise

- Backups with *pg_dump* takes more than whole day
- Less than 1 terabyte of data



Issues with a large system catalog

Time to do something dramatic!



Highlighting a few of the changes that occurred:

- Reduced the number of database objects by horizontally partitioning into a fixed number of tables (1024 partitions)
- Approximately 1 GB of data per partition
- Developed home grown Python middleware layer between Web front end and database systems
- Major database schema refactor: applied entity-attribute-value data model to member information



A few years ago...

Entity-attribute-value model (EAV) is a data model to describe entities where the number of attributes (properties, parameters) that can be used to describe them is potentially vast, but the number that will actually apply to a given entity is relatively modest.

...

EAV is also known as object-attribute-value model, vertical database model and open schema.

http://en.wikipedia.org/wiki/Entity-attribute-value_model



- Pros
 - Avoid expensive **ALTER TABLE** statements when adding or removing member attributes
- Cons
 - Data will need to be queried differently
 - Data type checking either done using multiple tables or multiple columns (opted for latter)




What we knew before applying EAV

Three tables make up the model:

- Entity: **member** table contains attributes that all members must have, e.g. email address
- Attribute: **field** table contains the custom attributes that users defines, e.g. favorite database management system
- Value: **member_field** table contains the values for custom attributes defined in the **field** table



EAV table descriptions



EAV ER Diagram



The middleware:

- Uses SQLAlchemy ORM to pull data and performs a data pivot
- Restricts API calls to return up to 500 members per call



Exporting member information from EAV model

- Before:

email	field_name	value
josh at agliodbs.com	first_name	Josh
josh at agliodbs.com	last_name	Berkus
josh at agliodbs.com	favorite_dbms	PostgreSQL

- After:

email	first_name	last_name	favorite_dbms
josh at agliodbs.com	Josh	Berkus	PostgreSQL

Pivoting data



That doesn't look so bad, right?
How much data might our customers have?



Ranked in order of potentially most values:

rank	account	members	fields	values	max values
1	41383	994,684	119	32,079,663	118,367,396
2	21322	1,902,163	59	5,354,715	112,227,617
3	2451	4,661,264	22	844,881	102,547,808
4	1703180	3,884,321	26	9,933,392	100,992,346
5	41997	737,432	87	4,115,583	64,156,584
6	18528	1,120,968	52	6,310,398	58,290,336
7	4393	656,672	85	5,175,631	55,817,120
8	1366214	470,107	109	7,272,797	51,241,663



Sample of account sizes

How long it takes to export member information?



All exports failed for our largest accounts!



Uh oh, some accounts can't export their member lists anymore. Something is taking too long:

- PostgreSQL statement timeouts? Disable statement timeout?
- Apache HTTP timeouts? Don't go through the Web server?
- Network switches TCP/IP idle timeouts? Get closer to the database server?

Did not finish?



After bypassing as many things as possible and extracting Python code to run directly against the database:

rank	account	members	values	runtime
1	41383	994,684	32,079,663	DNF
2	21322	1,902,163	5,354,715	DNF
7	4393	656,672	5,175,631	4 hours



Exporting directly against the database

Maybe the middleware shouldn't be trying to do that much work.

Maybe the database management system can help...



PostgreSQL provides the extension *tablefunc* containing the *crosstab()* data pivoting functions.

<http://www.postgresql.org/docs/current/static/tablefunc.html>



The database can pivot data

If you use the correct *crosstab* function...



I have Emma's favorite DBMS, but not her last name. These *crosstab* functions puts only non-NULL data into the next column pivoted and pads any remaining columns with NULLs.

email	first_name	last_name	favorite_dbms
josh at agliodbs.com	Josh	Berkus	PostgreSQL
peter_e at gmx.net	Peter	Eisentraut	PostgreSQL
magnus at hagander.net	Magnus	Hagander	PostgreSQL
tgl at sss.pgh.pa.us	Tom	Lane	PostgreSQL
emma at myemma.com	Emma	MongoDB	



crosstab(text sql) and *crosstabN(text sql)*

This *crosstab* function aligns the data with the column it is pivoted to.

email	first_name	last_name	favorite_dbms
josh at agliodbs.com	Josh	Berkus	PostgreSQL
peter_e at gmx.net	Peter	Eisentraut	PostgreSQL
magnus at hagander.net	Magnus	Hagander	PostgreSQL
tgl at sss.pgh.pa.us	Tom	Lane	PostgreSQL
emma at myemma.com	Emma		MongoDB



crosstab(text source_sql, text category_sql)

- *source_sql* retrieves values ordered by member and field column order
- *category_sql* retrieves fields in column order



Quick note on *crosstab* parameters

Was *crosstab* a positive improvement?



Timed python script running directly against database system:

rank	account	members	values	previously	runtime
1	41383	994,684	32,079,663	DNF	22 min
2	21322	1,902,163	5,354,715	DNF	17 min
7	4393	656,672	5,175,631	4 hours	10 min



Results from using *crosstab*

Much faster!



- Cannot use ORM to model pivoted data
- Small exports (in the 100's) appear to take a little longer



There are some tradeoffs

- Exports will fail again if we take on accounts somewhere between 5 to 10 million members
- Importing member data faces similar challenges in order to perform well



Not all obstacles have been removed

- Retrieving data from EAV model is inefficient
- Performance issues begin when pivoting only millions of rows



What we knew after having EAV

We still need to do better



What can we do?



Time to explore other data models



“What if we remove the **member_field** table from the database altogether?”

–Most popular question asked within Emma.



Let's prototype a different data model in Postgres



First look at *hstore* as a key/value data store...



And only have had time for *hstore* thus far...



This module implements the `hstore` data type for storing sets of key/value pairs within a single PostgreSQL value. This can be useful in various scenarios, such as rows with many attributes that are rarely examined, or semi-structured data. Keys and values are simply text strings.

<http://www.postgresql.org/docs/current/static/hstore.html>



Maybe the *hstore* extension can help proof a solution

Things to note before going in:

- No strict types; everything is a string
- No referential integrity constraints; cannot create a foreign key between an *hstore* key and a table column
- Native support may vary in higher level database connectivity libraries



Cons to *hstore* data type

Put the member attribute values into the **member** table as the *hstore* column field. The key in field's key/value pair is the field name.

email	field
josh at agliodbs.com	“first_name”=>”Josh”, “last_name”=>”Berkus”, “favorite_dbms”=>”PostgreSQL”
peter_e at gmx.net	“first_name”=>”Peter”, “last_name”=>”Eisentraut”, “favorite_dbms”=>”PostgreSQL”
magnus at hagander.net	“first_name”=>”Magnus”, “last_name”=>”Hagander”, “favorite_dbms”=>”PostgreSQL”

What does *hstore* look like



Is it hard to convert EAV to key/value model?



Approximately 2 minutes to transform a single partition:

```
WITH u AS (  
  WITH t AS (  
    SELECT member_id, shortcut_name,  
           CASE WHEN f.field_type = 'text' THEN mf.text_value  
                WHEN f.field_type = 'text[]' THEN mf.array_value::TEXT  
                WHEN f.field_type = 'numeric' THEN mf.numeric_value::TEXT  
                WHEN f.field_type = 'boolean' THEN mf.boolean_value::TEXT  
                WHEN f.field_type = 'date' THEN date_value::TEXT  
                ELSE NULL END AS value  
    FROM field f, member_field mf  
    WHERE f.field_id = mf.field_id  
  )  
  SELECT member_id,  
         string_agg(hstore(shortcut_name, value)::TEXT, ',')::HSTORE AS hst  
  FROM t GROUP BY member_id  
)  
UPDATE member  
SET field = hst  
FROM u  
WHERE u.member_id = member.member_id;
```



Converting to *hstore* is fairly fast


```
SELECT email,  
       field -> 'name_first' AS first_name,  
       field -> 'name_last' AS last_name,  
       field -> 'favorite_dbms' AS favorite_dbms  
FROM member m  
WHERE m.account_id = 88
```



Exporting member information with *hstore*

How fast is exporting member information with *hstore*?



rank	account	members	values	SQLAlchemy	crosstab	hstore
7	4393	656,672	5,175,631	4 hours	10 min	15 sec



Exporting member information is pretty fast

Are we done yet?



- JSON to get some strict type checking (except dates)
- BSON?
- External data store
- Yet another data model
- XML might be used to get strict type checking with DTD



Other things to try, maybe

Thank you!

